



ENFORCEMENT OF THE  
*ENVIRONMENTAL PROTECTION  
AND ENHANCEMENT ACT*

And

*WATER ACT*

1 Oct 2004 - 31 Dec 2004

January 2005  
Regional Services  
Alberta Environment

## Enforcement Actions

1 Oct 2004 - 31 Dec 2004



<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
<b>Administrative Penalties</b>				
Oxy Vinyls Canada Inc.	Strathcona County SE-29-55-21-W4	25-Oct-04 Assessed: \$4,500.00	AEPEA(R) 124/93;11(4)	The Company operates the Scotford polyvinyl chloride plant pursuant to an Approval. The Company failed to ensure that the concentration of vinyl chloride in an effluent stream to the ambient air from building ventilation did not exceed 5 ppm by volume. Paid 22 November 2004.
Three Hills, Town of	Kneehill County SW-25-31-24-W4	26-Oct-04 Assessed: \$7,000.00	AEPEA(R) 227(e),110(1)	The Town has an Approval for the operation of a Class I Wastewater Treatment Plant and a Class II Wastewater Collection System, Storm Drainage System and Snow Storage Facility. It released, caused, or permitted the release of a substance into the environment that has caused, is causing, or may cause an adverse effect, and failed to, as soon as that person knows or ought to know of the release, report it to the Director; it contravened its Approval when it failed to monitor the wastewater bypassing the wastewater treatment plant during the bypass of BOD5, TSS, Phosphorus and Ammonia-N; and it failed to submit one copy of the Annual Wastewater Report to the Director. Paid 10 November 2004.
Edson, Town of	Edson 7-53-17-W5	01-Nov-04 Assessed: \$14,500.00	AEPEA(R) 227(e)	The Town operates a Class I water treatment plant and a Class II water distribution system pursuant to an Approval. It contravened its Approval when it failed to immediately report by telephone a contravention of a term or condition of the Approval; failed to monitor the waterworks system as required in Table 6-1, being the failure to monitor free chlorine residual of treated water, 5 days of the week of June 8-14, 2003 at random locations in the water distribution system; failed to monitor the waterworks system as required in Table 6-1, being the failure to monitor the bacteria in treated water by taking 7 samples in the month of August 2003 at random locations in the water distribution system; failed to immediately report by telephone to Alberta Environment the failure or shut down of any equipment used for disinfection, being the failure to immediately report the failure of chlorine pump #3 at Well 17; and failed to submit 2 copies of an Incident Report of any incident requiring reporting, which reports were to be submitted to the Director on or before the end of the month, following the month in which the information on which the report is based was collected. Paid 29 November 2004.

*REPORTING PERIOD:*  
1 Oct 2004 - 31 Dec 2004

## *Enforcement Actions*

1 Oct 2004 - 31 Dec 2004



---

---

<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
---------------------------	-------------------------	-----------------------------------	----------------------------	-------------------------------

---

**Emergency Environmental Protection Orders**

---

No Activity

## *Enforcement Actions*

1 Oct 2004 - 31 Dec 2004



---

---

<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
---------------------------	-------------------------	-----------------------------------	----------------------------	-------------------------------

---

**Enforcement Orders**

---

No Activity

## *Enforcement Actions*

1 Oct 2004 - 31 Dec 2004



---

---

<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
---------------------------	-------------------------	-----------------------------------	----------------------------	-------------------------------

---

**Enforcement Orders for Waste**

---

No Activity

## *Enforcement Actions*

1 Oct 2004 - 31 Dec 2004



<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
<b>Environmental Protection Orders</b>				
AC Energy Inc.	Red Deer County NW-14-36-22-W4	10-Dec-04	AEPEA(R) 140,113	The Company was licenced or otherwise authorized by the Alberta Energy and Utilities Board ("EUB") to operate a well. The EUB issued an abandonment order, and the surface access was terminated by the Surface Rights Board. Alberta Environment has not issued a reclamation certificate, and is of the opinion that work is necessary in order to conserve and reclaim the site. Alberta Environment is of the opinion that a release of one or more substances into the environment may occur, is occurring or has occurred that may cause, is causing or has caused an adverse effect on the environment. The Company shall submit and implement an Investigative Plan; submit and implement a Remedial Plan; submit and implement a Reclamation Plan; and apply for a reclamation certificate once it has met the criteria.

## *Enforcement Actions*

1 Oct 2004 - 31 Dec 2004



---

---

<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
---------------------------	-------------------------	-----------------------------------	----------------------------	-------------------------------

---

**Prosecutions**

---

No Activity

## Enforcement Actions

1 Oct 2004 - 31 Dec 2004



<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
<b>Tickets</b>				
Canwest Compost & Soils Ltd.		19-Oct-04 Penalty: \$115.00	AEPEA(R) 61	The Company burned prohibited debris in an open fire without an approval. Paid 19 October 2004.
Cosgrove, Bill		02-Dec-04	AEPEA(R) 179(2)	Mr. Cosgrove improperly transported waste on a highway. Withdrawn 2 December 2004.
Smoky Pork Limited	MD of Smoky River	21-Dec-04 Penalty: \$115.00	AEPEA(R) 61	The Company burned prohibited debris in an open fire without an approval or registration. Paid 21 December 2004.
K & C Oilfield Hauling Ltd.		30-Dec-04 Penalty: \$115.00	AEPEA(R) 61	The Company burned prohibited debris in an open fire without an approval. Paid 30 December 2004.

## *Enforcement Actions*

1 Oct 2004 - 31 Dec 2004



<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
<b>Warning Letters</b>				
Faulkner, Neil	MD of Rocky View SW-3-28-26-W4	06-Oct-04	WA 49(1),36(1)	Mr. Faulkner constructed a dugout without an approval to construct and without a licence to divert water to the dugout. The dugout was constructed in a wetland and caused a wetland on adjacent property to be drained into the dugout.
592596 Alberta Ltd.	MD of Foothills SE-29-20-1-W5	08-Oct-04	WA 142(1)(e)	The Company contravened its licence by submitting the 2003 Annual Water Use Report late.
Barrett, Bernard	MD of Foothills 17-20-28-W4	08-Oct-04	WA 142(1)(e)	Mr. Barrett contravened his licence by submitting two 2003 Annual Water Use Reports late.
Denny, Norman	MD of Foothills NE-30-18-29-W4	08-Oct-04	WA 142(1)(e)	Mr. Denny and Mr. Nelson contravened their licence by submitting the 2003 Annual Water Use Report late.
Nelson, Ralph	MD of Foothills NE-30-18-29-W4	08-Oct-04	WA 142(1)(e)	SEE DETAIL: "Denny, Norman"
The Bar-N-Ranch & Cattle Company Ltd.	MD of Foothills 33-19-3-W5	08-Oct-04	WA 142(1)(e)	The Company contravened its licence by submitting the 2003 Annual Water Use Report late.
Lyle Reimer operating as Rocky Mountain Bobcat Service	Pincher Creek Plan 0213961, Block A, Lot 4	13-Oct-04	AEPEA(R) 43/97;3(3)	Mr. Lyle Reimer operating as Rocky Mountain Bobcat Service applied a Schedule 3 pesticide (Roundup) for hire or reward on the grounds of the Vista Village Nursing Home without a service registration or certified applicator.
Stirling, Village of	County of Warner NW-31-6-19-W4	13-Oct-04	AEPEA(R) 227(e)	The Village operates a Water Treatment Plant pursuant to an Approval. It contravened its Approval when it failed to immediately contact the Director when free chlorine levels dropped below 0.5 mg/L after 20 minutes of contact and it failed to call the Regional Engineer immediately when free chlorine residuals in water entering the distribution system are less than 0.5 mg/L.

*REPORTING PERIOD:*  
1 Oct 2004 - 31 Dec 2004

*Page 9 of 11*

## Enforcement Actions

1 Oct 2004 - 31 Dec 2004



<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
<b>Warning Letters</b>				
Southern Agri Services Ltd.	Taber Plan 1340JK, Block 1, Lot 13-15	13-Oct-04	AEPEA(R) 110(1)	The Company reported late regarding the spill of Urea Ammonium Nitrate Liquid.
Carruthers, Alex	Sturgeon County Plan 4638TR, Block 5, Lot 5	15-Oct-04	AEPEA(R) 24/97;5(1)(a)	Mr. Carruthers applied a herbicide (trade names Liberty/Centurion) onto a shelterbelt in a manner that does not conform with the label.
The Hutterian Brethren Of Parkland	MD of Willow Creek SE-1-15-27-W4	21-Oct-04	AEPEA(R) 163(1)	The Hutterian Brethren of Parkland applied a pesticide, being FAIRVIEW GOPHER COP, PCP #22956, to the surface of the ground contrary to label directions.
1042682 Alberta Ltd.	High River NW-1-19-29-W4	26-Oct-04	WA 142(1)(e)	The Company contravened its licence by submitting the 2003 Annual Water Use Report late.
Georgia-Pacific Canada, Inc.	Edmonton Plan 2357RS, Block C	28-Oct-04	AEPEA(R) 227(e)	The Company operates the stone products (gypsum wallboard) manufacturing plant pursuant to an Approval. It contravened its Approval when it submitted the failed stack survey on the West kettle stack late, and also exceeded the 0.2 Kilogram per 1000 Kilograms of effluent as outlined in the Approval.
Diversity Technologies Corporation	Edmonton Plan 7620382, Block 14, Lot R2	01-Nov-04	AEPEA(R) 227(e)	The Company operates the south-Edmonton chemical storage facility pursuant to an Approval. It contravened its Approval by submitting the 2002 Annual Summary and Evaluation Report late; submitting the 2002 Annual Waste Management Summary Report late; submitting the 2003 Annual Summary and Evaluation Report late; submitting the 2003 Annual Waste Management Summary Report late; and by failing to immediately report by telephone to the Director any of the above-listed contraventions of the Approval.
Sturgeon Valley Fertilizers Ltd.	Sturgeon County SE-13-57-26-W4	03-Nov-04	AEPEA(R) 24/97;5(1)	The Company had a pesticide overspray that caused an adverse affect to trees on adjacent property.

*REPORTING PERIOD:*  
1 Oct 2004 - 31 Dec 2004

## Enforcement Actions

1 Oct 2004 - 31 Dec 2004



<i>Company/Individual</i>	<i>Municipality/LLD</i>	<i>Decision Date/ Penalty</i>	<i>Act/ Regulation</i>	<i>Comments / Disposition</i>
<b>Warning Letters</b>				
EOG Resources Canada Inc.	Kneehill County 33-30-24-W4	15-Nov-04	AEPEA(R) 61	The Company was operating the Twining sour gas processing plant without an approval.
It's Clean Ltd.	Edmonton Plan 6450KS, Block 24	22-Nov-04	AEPEA(R) 181,182	The Company disposed of used carpet cleaning fluid on property and into The City of Edmonton's storm drain system, which empties into the North Saskatchewan River, without the proper authority.
Olson, Orville Robert	Sturgeon County SW-35-55-23-W4	24-Nov-04	AEPEA(R) 61	Mr. Olson burned prohibited debris (animal manure) in an open fire without an approval.
467902 Alberta Inc.	MD of Foothills Plan 205LK, Block 5	17-Dec-04	WA 49(1),36(1)	The Company conducted a modification of an intermittent water body, diversion of ground water from a well for commercial use, and diversion of water from an unauthorized instream dugout without an approval or licence.
Slattery, Michael	MD of Foothills Plan 205LK, Block 5	17-Dec-04	WA 49(1),36(1)	Mr. Slattery conducted a modification of an intermittent water body, diversion of ground water from a well for commercial use, and diversion of water from an unauthorized instream dugout without an approval or licence.
Nor-Alta Environmental Services Ltd.	County of Stettler SE-23-36-21-W4	20-Dec-04	WA 49(1)	The Company directed the diversion of water, from an unnamed water body, prior to a licence being issued.
Onyx Energy Inc.	County of Stettler SW-23-36-21-W4	20-Dec-04	WA 49(1)	The Company diverted water, from an unnamed water body, prior to a licence being issued.

*REPORTING PERIOD:  
1 Oct 2004 - 31 Dec 2004*